









- Fallourd, R., Harant, O., Trouvé, E., Nicolas, J. M., Gay, M., Walpersdorf, A., & Vasile, G., 2011. Monitoring temperate glacier displacement by multi-temporal TerraSAR-X images and continuous GPS measurements. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 4(2), 372-386.
- GAMMA Remote Sensing., 2014. Differential Interferometry and Geocoding Software-DIFF&GEO (Geocoding and Image Registration). Switzerland: GAMMA Remote Sensing AG.
- Goldstein, R. M., Engelhardt, H., Kamb, B., & Frolich, R. M., 1993. Satellite radar interferometry for monitoring ice sheet motion: application to an Antarctic ice stream. *Science*, 262(5139), 1525-1530.
- Gray, A. L., Mattar, K. E., Vachon, P. W., & Bindshadler, R., 1998. InSAR results from the RADARSAT Antarctic Mapping Mission data: estimation of glacier motion using a simple registration procedure. *Geoscience and Remote Sensing Symposium Proceedings, 1998. IGARSS '98. 1998 IEEE International (Vol.3, pp.1638-1640 vol.3)*. IEEE.
- Hamish, P., Tavi, M., Adrian, L., Tazio, S., & Stuart, B., 2005. Glacier surge dynamics of Sortebrae, east Greenland, from synthetic aperture radar feature tracking. *Journal of Geophysical Research Atmospheres*, 110(F3).
- Italian Space Agency., 2016. COSMO-SkyMed Mission and Products Description <http://www.e-geos.it/cosmo-skymed.html>.
- Jiang, Z. L., Liu, S. Y., Peters, J., Lin, J., Long, S. C., & Han, Y. S., et al., 2012. Analyzing Yengisogat glacier surface velocities with ALOS PALSAR data feature tracking, Karakoram, China. *Environmental Earth Sciences*, 67(4), 1033-1043.
- Li, J., Li, Z., Zhu, J., Ding, X., Wang, C., & Chen, J., 2013. Deriving surface motion of mountain glaciers in the Tuomuerkhan Tengri mountain ranges from PALSAR images. *Global & Planetary Change*, 101, 61–71.
- Lin, H., Ke, C.Q., 2016. Monitoring Surface Deformation in Changzhou City Using COSMO-SkyMed Data. *Remote Sensing Technology and Application*, (3), 599-606.
- Liu, C.L., Tong, L.Q., Qi, S.W., Zhang, S.S., Zheng, B.W., 2016. Remote sensing investigation and influence factor analysis of glacier lake outburst potential in the Himalayas. *REMOTE SENSING FOR LAND & RESOURCES*, 28(3): 110-115.
- Kääb, A., 2005. Combination of srtm3 and repeat aster data for deriving alpine glacier flow velocities in the Bhutan Himalaya. *Remote Sensing of Environment*, 94(4), 463-474.
- Kääb, A., 2005. Remote sensing of mountain glaciers and permafrost creep (Vol. 48). Geograph. Inst. d. Univ.
- Parry, M. L., Canziani, O. F., Palutikof, J. P., Linden, P. J. V. D., & Hanson, C. E., 2007. Contribution of working group ii to the fourth assessment report of the intergovernmental panel on climate change. *Encyclopedia of Language & Linguistics*, 12(1), 171–175.
- Ran, Q.H., Wu, X.S., He, Z.G., Qian, Q., Wang, F., Yu, X., 2014. Influence of glacier lake outburst mode on downstream flood process. *Journal of Tsinghua University (Science and Technology)*, (8), 1049-1056.
- Riveros, N., Euillades, L., Euillades, P., Moreiras, S., & Balbarani, S., 2013. Offset tracking procedure applied to high resolution SAR data on Viedma Glacier, Patagonian Andes, Argentina. *Advances in Geosciences*, 35, 7-13.
- Strozzi, T., Luckman, A., Murray, T., & Wegmuller, U., 2002. Glacier motion estimation using SAR offset-tracking procedures. *Geoscience & Remote Sensing IEEE Transactions on*, 40(11), 2384-2391.
- Strozzi, T., Kouraev, A., Wiesmann, A., Wegmüller, U., Sharov, A., & Werner, C., 2008. Estimation of Arctic glacier motion with satellite L-band SAR data. *Remote Sensing of Environment*, 112(3), 636-645.
- USGS Earth Resource Observation and Science (EROS) Center., 2016. Global Data Explorer (GDEX) Data Access User Guide <https://gdex.cr.usgs.gov/gdex/>.
- Wang, S.S., Jiang, L.M., Sun, Y. L., Liu, L., Sun, Y.F., Wang, H.S., 2016. Evaluation of methods for deriving mountain glacier velocities with ALOS PALSAR images: A case study of Skyang glacier in central Karakoram. *REMOTE SENSING FOR LAND & RESOURCES*, 28(2): 54-61.
- Yan, S.Y., 2013. Research on extraction of Alpine glacier surface movement by SAR remote sensing. The Institute of Remote Sensing and Digital Earth, Chinese Academy of Sciences, pp.49-68.
- Zhou, C.X., Deng, F.H., Chen, Y.M., Wang, Z.M., 2015. Ice-flow Features in the Grove Mountains Area Using SAR Data. *GEOMATICS AND INFORMATION SCIENCE OF WUHAN UNIVERS*, 40(11): 1428-1433.